

This lightweight rechargeable LED lantern is a critical firefighting tool that even floats in water! Its super-bright beam reaches long distances, and two blue taillight LEDs make certain you can be seen by your partners in thick smoke.



Ultra-bright blue taillight LEDs



Toggle switch is easy to use with gloved hands

High and low modes: - High: 180 lumens; 100,000 candela; 566m beam; runs 5 hours - Low: 80 lumens; 45,000 candela; runs 10 hours
Deep-dish parabolic reflector produces a tight beam with optimum peripheral illumination Optimized electronics provide regulated intensity
IPX7; waterproof to 1 meter for 30 minutes
7.5" (19.05 cm); 1.85 lbs (839 grams) with battery; floats

Class I, Div. 2, Groups A, B, C, D; Class II, Div. 2, Groups F,G; Class III T-Code: T4 Rack meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position
Limited Lifetime Warranty Visit streamlight.com for full warranty information
#44452 - Fire Vulcan LED Standard System - 230V AC/12V DC - Orange #44453 - Fire Vulcan LED Standard System - 240V AC/12V DC - Orange #44450 - Fire Vulcan LED Standard System - 120V AC/12V DC - Orange #44455 - Fire Vulcan LED Standard System - 100V AC/12V DC - Orange #44451 - Fire Vulcan LED Vehicle Mount System - 12V DC - Orange #44454 - Fire Vulcan LED Light Only - Orange



Material/Lens High-impact ABS thermoplastic housing. Rubberized cushioned-grip handle. Unbreakable polycarbonate lens with scratch-resistant coating. O-ring sealed.

Dims/Weight	IMPERIAL	Length: 7.5 in	Body width: 5 in	Height: 6.5 in	Weight w/battery: 1.85 lbs
	METRIC	Length: 19.05 cm	Body width: 12.7 cm	Height: 16.51 cm	Weight w/battery: 839 g

Light Source/ Output/Runtime Six white LEDs and two blue taillight LEDs.

	HIGH	LOW
LUMENS	180	80
CANDELA	100,000	45,000
DISTANCE	632 m	424 m

Switch Toggle switch.

Battery Two (2) Lithium-Ion batteries.

Features

- 1 meter impact resistance.
- IPX7 waterproof to 1 m for 30 minutes; lantern floats.
- Serialized for positive identification.

Models Standard System - International safety orange; includes quick release shoulder strap AC/DC chargers and mounting rack.
Vehicle Mount System - International safety orange; Includes quick release shoulder strap and 12V DC vehicle-mountable direct wire charging rack.

Approvals Meets applicable United Kingdom and European Community Directives.
Class I, Div. 2, Groups A, B, C, D; Class II, Div. 2, Groups F,G; Class III T-Code: T4
Rack meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position.

Warranty Streamlight warrants this product to be free of defects for a lifetime of use except for batteries and bulbs, abuse and normal wear. We will repair, replace or refund the purchase price of this product should we determine it to be defective. This limited lifetime warranty also excludes rechargeable batteries, chargers, switches and electronics which have a 2 year warranty with proof of purchase. THIS IS THE ONLY WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES ARE EXPRESSLY DISCLAIMED EXCEPT WHERE SUCH LIMITATION IS PROHIBITED BY LAW. You may have other specific legal rights which vary by jurisdiction. Visit streamlight.com for full warranty information. Visit www.streamlight.com for full warranty information.

Description	UPC	Item #
Fire Vulcan LED Standard System with 120V/100 AC/12V DC - Includes quick release shoulder strap - Orange	080926-44450-8	44450
Fire Vulcan LED Standard System with 230V AC/12V DC - Includes quick release shoulder strap - Orange	080926-44452-2	44452
Fire Vulcan LED Standard System with 240V AC/12V DC - Includes quick release shoulder strap - Orange	080926-44453-9	44453
Fire Vulcan LED Vehicle Mount System with 12V DC - Includes quick release shoulder strap - Orange	080926-44451-5	44451
Fire Vulcan LED - Without Charger - Includes quick release shoulder strap - Orange	080926-44454-6	44454

	Description	UPC	Item #
	12V DC2 Direct Wire Charge Cord	080926-22050-8	22050
	12V DC1 Charge Cord	080926-22051-5	22051
	120V/100V AC Charge Cord	080926-22060-7	22060
	230V AC Charge Cord - HID LiteBox, E-Flood LiteBox HL	080926-22061-4	22061
	240V [UK] AC Charge Cord	080926-22062-1	22062
	Quick Release Strap	080926-44050-0	44050
	Heavy Duty Shoulder Strap	080926-45232-9	45232
	Lithium Ion Battery	080926-44610-3	44610
	AC/DC Smart Charge Rack	080926-44103-3	44103