

DATASHEET

ACTSAFE ACX POWER ASCENDER**GENERAL**

Art.Nr:	POA-001
GTIN:	4030281282402
Customs tariff number:	84253100

Net weight:	13.00 kg
Gross weight:	13.00

DATASHEET

ACTSAFE ACX POWER ASCENDER

The ACX battery-powered winch is a motorised system to ensure the transport of persons or loads to areas that are difficult to access and where occasional or recurring work is carried out. ACX is used, among other things, for cleaning facades or windows, for the maintenance of complex building structures, for the rotor blade maintenance of wind turbines or for transporting loads on masts. The ACX POWER ASCENDER considerably simplifies and accelerates work on complex structures and makes expensive access systems or lifting platforms superfluous. Countless rescue scenarios can also be carried out efficiently and with minimum effort with the ACX. ACX forms a highly flexible system for easy and cost-efficient cleaning or maintenance. In an emergency, the ACX can be controlled by remote control. The operation and use of the ACX can be learned in special training courses.

- Simplifies and accelerates work on structures that are difficult to access
- Gentle application
- Control by remote control up to 150 m

FEATURES

Battery range at 20° C & 100 kg load: 200 minutes

Application areas: Various

Energy source: Removeable Battery, POA-004 power supply

Colour: polyethylene_terephthalate

Underwater operations: No

Water dust resistance: IP 55

Charging time: 90 minutes

Maximum descent speed: 24 m/min

Max. ascent rate: 24 m/min

Maximum compatible rope diameter: 11.00 mm

Max. noise level: 76 dB(A)

Maximum temperature: 40 °C

Minimum descent speed: 1 m/min

Min. ascent rate: 1 m/min

Minimum compatible rope diameter: 11.00 mm

Min. noise level: 0 dB(A)

Minimum temperature: -10 °C

Emergency descent function: Yes

Emergency stop function: Yes

Remote control range: 150 m

DIMENSIONS


DATASHEET

ACTSAFE ACX POWER ASCENDER

Working load limit: 200.00 kg

MATERIAL

Material: Steel, Aluminium,
Nylon



Safety
Group